



3-conductor ground terminal block; suitable for Ex e II applications

Item No.: 2000-1307



3-conductor ground terminal block; suitable for Ex e II applications

Marking

RoHS
Compliant

Business data

Supplier	WAGO
Item no.	2000-1307
GTIN / EAN	4045454966904
Content	1
Order amount	100
Customer item number	

Notes



Technical data


Miscellaneous

Total number of connection points	3
Total number of potentials	1
Color	green-yellow
Ratings per	IEC/EN 60947-7-2
Number of levels	1
Connection technology	Push-in CAGE CLAMP®

Technical data	
<i>Number of connection points connector</i>	3
<i>Actuation type</i>	<i>Operating tool</i>
<i>Connectable conductor materials</i>	<i>Copper</i>
<i>Nominal cross section</i>	1 mm ²
<i>Solid conductor</i>	0.14 ... 1.5 mm ² / 24 ... 16 AWG
<i>Solid conductor, push-in termination</i>	0.5 ... 1.5 mm ² / 20 ... 16 AWG
<i>Fine-stranded conductor</i>	0.14 ... 1.5 mm ² / 24 ... 16 AWG
<i>Fine-stranded conductor with ferrule, push-in termination, m</i>	0.5 mm ² / 20 AWG
<i>Strip length</i>	9 ... 11 mm / 0.35 ... 0.43 Inch
<i>Type of wiring</i>	<i>Front-entry wiring</i>
<i>Design</i>	<i>horizontal</i>
<i>Marking level</i>	<i>Center/side marking</i>
<i>Insulating material</i>	<i>Polyamide 66 (PA 66)</i>
<i>Fire load [MJ]</i>	0.083 [MJ]
<i>Weight [g]</i>	6.478 [g]
<i>Width</i>	3.5 mm / 0.138 Inch
<i>Height from upper-edge of DIN-35 rail</i>	32.9 mm / 1.295 Inch
<i>Depth</i>	58.2 mm / 2.291 Inch
<i>Type of mounting</i>	<i>DIN-35 x 15 carrier rail</i>

Images & drawings





Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.