



## 2-conductor ground terminal block; Ground supply terminal block

Item No.: 2016-7607



2-conductor ground terminal block; Ground supply terminal block

### Marking

RoHS ✓  
Compliant

### Business data

Supplier	WAGO
Item no.	2016-7607
GTIN / EAN	4045454725112
Content	1
Order amount	20
Customer item number	

### Notes

Safety information 1: DIN-35 rails with a height of 15 mm, must be used if the current load is higher than 76 A!


### Technical data


#### Miscellaneous

Total number of connection points	2
Total number of potentials	1
Color	green-yellow
Ratings per	IEC/EN 60947-7-2
Number of levels	1
Connection technology	Push-in CAGE CLAMP®

<b>Technical data</b>	
<i>Number of connection points connector</i>	2
<i>Actuation type</i>	<i>Operating tool</i>
<i>Connectable conductor materials</i>	<i>Copper</i>
<i>Nominal cross section</i>	16 mm <sup>2</sup>
<i>Solid conductor</i>	0.5 ... 16 mm <sup>2</sup> / 20 ... 6 AWG
<i>Solid conductor, push-in termination</i>	2.5 ... 16 mm <sup>2</sup> / 14 ... 6 AWG
<i>Fine-stranded conductor</i>	0.5 ... 25 mm <sup>2</sup> / 20 ... 4 AWG
<i>Fine-stranded conductor with ferrule, push-in termination, m</i>	2.5 mm <sup>2</sup> / 14 AWG
<i>Strip length</i>	18 ... 20 mm / 0.71 ... 0.79 Inch
<i>Type of wiring</i>	<i>Front-entry wiring</i>
<i>Design</i>	<i>angled</i>
<i>Marking level</i>	<i>Center/side marking</i>
<i>Insulating material</i>	<i>Polyamide 66 (PA 66)</i>
<i>Fire load [MJ]</i>	0.491 [MJ]
<i>Weight [g]</i>	43.566 [g]
<i>Width</i>	12 mm / 0.472 Inch
<i>Height from upper-edge of DIN-35 rail</i>	40.8 mm / 1.606 Inch
<i>Depth</i>	85.7 mm / 3.374 Inch
<i>Type of mounting</i>	<i>DIN-35 x 15 carrier rail</i>

Images & drawings





#### Address

WAGO Kontakttechnik GmbH & Co. KG

Hansastr. 27

32423 Minden

Telefon: 0571/887-0

Fax: 0571/887-169

<http://www.wago.com>

© WAGO Kontakttechnik GmbH & Co. KG

Technische Änderungen und Irrtümer vorbehalten.